

Effective Date: March 8, 2007

PRODUCT AND 4.

Trade Name:

Polyvinyl Chloride Pipe

COMPANY

Chemical Name:

Mixture

IDENTIFICATION

Not applicable Synonyms:

Chemical Family: Mixture of Polyvinyl Chloride Homopolymer

Formula:

Mixture, see below.

COMPANY ADDRESS:

North American Pipe Corporation

2801 Post Oak Blvd. Houston, TX 77056

EMERGENCY CONTACT:

CALL 1-217-324-6515

THESE NUMBERS ARE AVAILABLE DAYS, NIGHTS, WEEKENDS, AND HOLIDAYS, EXCEPT ON

DECEMBER 24 TO 26.

COMPOSITION/INFORMATION ON INGREDIENTS

		% Ву	OSHA PEL-TWA	ACGIH TLV-TWA
Component	CAS Number	Weight	mg/m³	mg/m³
Polyvinyl chloride resin (chloroethene homopolymer), treated as nuisance particulate	9002-86-2	95	5 (respirable fraction) 15 (total dust)	3 (respirable particulate) 10 (total particulate)
Calcium carbonate	1317-65-3	3-4	5 (respirable fraction) 15 (total dust)	10 (total particulate)
Waxes	NE	1-2	NE	2 (as Paraffin Wax Fume)
Titanium dioxide	13463-67-7	<1	15 (total dust)	10 (total particulate)

NE = Not Established

HAZARDS IDENTIFICATION



This product is non-hazardous under Hazard Communication Standard 29 CFR 1910.1200.

HAZARD RATINGS

Degree of hazard (0 = low, 4 = extreme)

National Fire Protection

Association

Health: 1 Flammability: 1 Reactivity: 0

Specific Hazard: None

Hazardous Materials

Identification System

Health: 1 Flammability: 1

Reactivity: 0

4. FIRST AID MEASURES

EYE CONTACT:

Immediately flush with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Consult a physician

immediately.

SKIN CONTACT:

Cool skin rapidly if contacted with molten polymer. Obtain medical

attention for thermal burns or skin irritation.

INHALATION:

The product is not expected to present an inhalation hazard, unless

mechanically chipped or pulverized or if melted during fire. If dust or

fumes are inhaled, remove to fresh air.

SWALLOWING:

No adverse health effects expected from ingestion.

FIRE FIGHTING MEASURES

Flash Point: Not applicable

Lower Explosive Limit: Not applicable
Upper Explosive Limit: Not applicable
Autoignition Temp: 849°F (470°C)

IGUISHING MEDIA:

Use water spray, dry chemical, or foam.

IAL FIRE FIGHTING

:EDURES:

Use NIOSH/MSHA approved self-contained breathing apparatus and full

protective clothing if involved in fire.

JUAL FIRE AND SION HAZARDS:

PVC homopolymers are self-extinguishing plastic materials. They will burn in the presence of other materials that support combustion and will generate hydrogen chloride, phosgene, benzene, carbon monoxide, carbon dioxide, aromatic and aliphatic hydrocarbons, and other gases.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Collect scrap for reprocessing, or for landfill in compliance with local regulations.

HANDLING/STORAGE

Use any methods that keep dust to a minimum. General storage procedures are acceptable.

5

7

EXPOSURE CONTROLS/

PERSONAL PROTECTION

EYE PROTECTION:

Safety glasses are required if there is a possibility of getting dust

particles in eyes. Have eye wash equipment nearby.

SKIN PROTECTION:

None required.

8. EXPOSURE CONTROLS/

PERSONAL PROTECTION

(CONT'D)

VENTILATION:

Local exhaust ventilation is recommended to control airborne dust.

RESPIRATORY PROTECTION:

If dust or fumes exist, use a NIOSH/MSHA approved respirator. At unknown concentrations and for fire fighting, use self-contained breathing

apparatus (SCBA). Always use respirators in accordance with

instructions.

. PHYSICAL AND

CHEMICAL PROPERTIES

Physical Form:

Solid

Boiling Point:

Not available

Heat Deflection Temperature:

168°F (76°C)

Vapor Density:

Not applicable

Vapor Pressure (mm Hg):

Not applicable

Evaporation Rate:

Not applicable

% Volatile by Volume:

Not applicable

Density:

Not determined
1.42

Specific Gravity: Solubility in Water (20 °C):

1.42

Molting Doint:

Insoluble
Not available

Melting Point:

TWO AVAILABIC

Viscosity:

Not applicable

Odor:

Plastic, resin odor

Appearance:

Blue, Green, Purple, Light Gray, or White

plastic pipe

pH:

Not applicable

STABILITY/REACTIVITY

Stability:

Stable under normal storage conditions.

ITIONS TO AVOID:

None known.

MPATIBLE MATERIALS:

None known.

RDOUS DECOMPOSITION

UCTS:

Hydrogen chloride, benzene, carbon monoxide, carbon dioxide, aromatic and aliphatic hydrocarbons, and other gases could be released in fire.

MERIZATION:

Hazardous polymerization not expected.

0

10

11. TOXICOLOGICAL INFORMATION

POTENTIAL ROUTES OF EXPOSURE:

SIGNS, SYMPTOMS, AND TOXIC EFFECTS OF OVEREXPOSURE: 11. TOXICOLOGICAL

ANIMAL TOXICITY DATA:

No toxicological data were found for this product. The effects reported are those anticipated based on the components of this product.

Inhalation of dust is the most likely route of exposure to this product.

Exposure to high concentrations of dust of this product will cause irritation of the respiratory tract with cough, difficulty breathing, dryness of the throat, or eye irritation.

INFORMATION

(CONT'D)

Component	Inhalation LCso	Dermal LD ₅₀ (mg/kg)	Oral LD ₅₀ (mg/kg) No data found.
PVC homopolymer	No data found.	No data found.	
Calcium carbonate	No data found.	No data found.	No data found.
Titanium dioxide	No data found.	No data found.	No data found.



PVC PIPE Page 7 of 9

MATERIAL SAFETY DATA SHEET

REPRODUCTIVE EFFECTS:

No data were found regarding reproductive effects in humans or animals

for any component of this product.

MUTAGENICITY DATA:

No mutagenicity data were found for any component of this product.

DESIGNATION AS POTENTIAL

IARC designates PVC homopolymer and titanium dioxide as Group 3,

"no

CARCINOGEN:

classifiable as to its carcinogenicity in humans."

MEDICAL CONDITIONS

AGGRAVATED BY EXPOSURE:

No data were found regarding this issue.

INTERACTIONS WITH CHEMICALS THAT ENHANCE TOXICITY:

No data were found regarding this issue.

ECOLOGICAL INFORMATION

No data were found regarding adverse ecological impacts of this product.

DISPOSAL CONSIDERATIONS

Disposal should conform to federal, state, and local regulations. If hazardous according to 40 CFR part 261.31 or 32, or possesses characteristics of 40 CFR 261 Subpart C, dispose in a facility meeting the requirements of 40 CFR 264 or 265. If non-hazardous, dispose in a facility meeting the requirements of 40 CFR 257. Before attempting cleanup, refer to hazard information and personal protection information in other sections of this MSDS. If waste is determined to be hazardous, use licensed hazardous waste transporter and disposal facility.

RCRA Status of Unused Material: If discarded in unaltered form, should be tested in accordance to 40CFR 261 Subpart C and disposed as specified above.

12

13

14. TRANSPORTATION

INFORMATION

U.S.D.O.T. SHIPPING NAME, ID NO, HAZARD CLASS: Not Regulated (also, Canada via rail and truck.)

15. REGULATORY INFORMATION

SARA 313 LISTING:

This product does not contain any substance subject to the reporting requirements of section 313 of the Emergency Planning and Community

Right-To-Know Act of 1986 and of 40 CFR 372.

SARA 312 HAZARD CLASS:

Not applicable.

SARA EXTREMELY

HAZARDOUS SUBSTANCES:

Not applicable.

EPA HAZARDOUS SUBSTANCES

LIST: (40 CFR 302.4):

Not hazardous.

CA PROPOSITION 65:

This product does not contain any substance listed in the State of California Safe Drinking Water and Toxic Enforcement Act of 1986, as

updated (February 23, 2001).

PENN. RIGHT-TO-KNOW:

All required components are identified.

N.J. RIGHT-TO-KNOW:

All required components are identified.

MASS. RIGHT-TO-KNOW:

All required components are identified.

TSCA INVENTORY STATUS:

All components of this product are listed on the TSCA Inventory.

C ANADIAN WHMIS CLASS:

Not applicable.



PVC PIPE Page 9 of 9

OTHER INFORMATION

REVISIONS:

Entire MSDS reviewed March 8, 2007.

PREPARED BY:

Tetra Tech EM, Inc., using standard references and information provided and directed by North American Pipe Corporation.

